

VANDYCK



  
VANDYCK

*Crafted for life's aesthetics*

*The ultimate pursuit of art*

Vandyck flooring



Crafted for life's aesthetics



## CONTENTS

P01-P04	Production facilities and Manufacturing factories	P11-P82	Certificates
Company Introduction	P05-P08	Products	P83-P84



*Crafted for life's aesthetics*

## BRAND ORIGIN

Anthony van Dyck was a renowned Flemish Baroque painter. He is most famous for his elegant portraits of the European aristocracy, particularly as the court painter to King Charles I of England. His distinctive style defined 17th-century aristocratic portraiture.




Vandyck is inspired by the artistic legacy of the renowned European master, Anthony Van Dyck. Just as Van Dyck immortalized the essence of life through his art, we capture it through our flooring—transforming everyday spaces into expressions of elegance and meaning. From meticulous craftsmanship to thoughtful design, every Vandyck product reflects our deep care for our customers and our commitment to excellence. Much like Van Dyck's masterpieces, our flooring is more than a surface—it's a statement of refined luxury and timeless artistry. Vandyck Flooring is a promise: a relentless pursuit of beauty, quality, and the elevated life.”






## DISTRIBUTING CENTERS

Beyond our artistic approach to manufacturing, we believe that every step—from creation to delivery—should embody artistry in its own right. At Vandyck, this philosophy extends to our premier distribution centers in Los Angeles and Houston, where precision and care streamline lead times and simplify the purchasing experience. We make it effortless and enjoyable to become a valued customer, bringing the Art of Flooring into your home and elevating your lifestyle with every step.




*Beyond our  
artistic approach  
to manufacturing*



## PRODUCTION FACILITIES



Our commitment to perfection is spearheaded by our fully automated HOMAG line and its German-crafted cutting tools. This configuration delivers uncompromising precision in the milling process, creating impeccably smooth, burr-free grooves that interlock seamlessly. The final result is a pavement of superior flatness and unparalleled smoothness.



Of Italian origin, our drying kilns represent the pinnacle of engineering excellence. These premium systems are meticulously calibrated to achieve and maintain the ideal moisture equilibrium within the flooring, a critical factor in ensuring dimensional stability and long-term structural integrity. This sophisticated process culminates in a superior product that delivers an unparalleled user experience, characterized by its enduring quality and performance.



With dedicated manufacturing facilities in both Malaysia and Cambodia, we centralize our production to guarantee streamlined order execution and uncompromising quality control across all products. This strategic setup enables us to deliver consistent reliability and excellence.




VANDYCK

Crafted for life's aesthetics



At Vandyck, we take pride in the quality and luxury our flooring brings to the homes of our customers. As a family-owned, family-oriented company, we believe that true luxury lies in the beautiful memories that make a house a home. Our premium products and seamless purchasing experience are designed to elevate everyday living—because we understand that priceless moments deserve nothing less.

Much like cherished memories, our floors are built to last a lifetime. Guided by the love that binds families together, we channel that spirit into every detail of our craftsmanship. At Vandyck, we may not be the most affordable, we are the ones you'll want by your side for a lifetime.



Teknos is a family-owned Finnish paint company dedicated to creating sustainable coating solutions. For decades, it has been developing high-quality, low-VOC paints that minimize environmental impact for professionals and consumers alike. Guided by a strong ecological ethos, Teknos strives to make the world more durable and beautiful.

Our strategic alliance with Teknos provides us with an unparalleled advantage: access to a game-changing paint technology developed specifically for and available only to us. This exclusive right elevates us above competitors and is a cornerstone of our value proposition.



## UV URETHANE COATINGS

We exclusively finish our products with advanced UV Urethane coatings, a pinnacle of modern paint technology. This is not merely a protective layer, but a meticulously engineered surface that merges unparalleled durability with exquisite aesthetics.

Its defining characteristic is the instant curing process under ultraviolet light. This technological marvel creates an exceptionally hard, non-porous surface that stands in stark contrast to traditional air-dried paints. Where conventional finishes remain vulnerable to scratches, stains, and fading, our UV Urethane finish provides a resilient, long-lasting shield.


### The benefits are profound:

**Superior Durability:** It possesses remarkable resistance to abrasions, chemicals, and daily wear, ensuring the beauty of your product endures for years, not just months.

**An Exquisite Finish:** The result is a flawlessly smooth, luxuriously consistent surface—free from the brush marks, dust nibs, or orange-peel texture that can plague conventional alternatives.

**Enhanced Health & Sustainability:** With an ultra-low VOC (Volatile Organic Compound) content, it contributes to healthier indoor air quality and represents a more environmentally conscious choice compared to many solvent-based paints.

In essence, while ordinary paints sit on the surface, our UV Urethane coating becomes an integral part of it. It is the uncompromising choice that delivers not just color, but a lasting promise of beauty and resilience.





## The Excimer System(Super Matte)

Where Revolutionary Technology Meets Unparalleled Touch

We are proud to introduce the Excimer System, a groundbreaking paint finish that redefines luxury. Its most immediate and remarkable quality is its sensuously smooth texture—a surface so incredibly soft and seamless, it invites comparison to the delicate touch of a baby's skin.

Beyond its sublime feel, the Excimer System offers superior performance. It is engineered to be significantly more resistant to stains and scratches than conventional paint finishes. This powerful combination of an exquisite, silken touch with exceptional, long-lasting durability makes it not just a finish, but a lasting investment in beauty and practicality.



## The Slim System

The Art of Natural Minimalism

Introducing the Slim System, our revolutionary thin-film coating that celebrates the authentic soul of your flooring. Unlike thicker, synthetic-feeling finishes, we intentionally apply a whisper-thin layer that allows the natural grain, texture, and character of the wood to shine through with stunning clarity.

This minimalist approach creates a profoundly organic experience. By enhancing, rather than hiding, the innate beauty of the material, the Slim System forges a deeper connection to nature itself. It's not just a protective coating—it's a clear window to the raw, untamed elegance within your floors.



*Balanced stability*

## Substrate



### Veneers

All our wood veneers are sourced from premium European white oak, meticulously selected through a multi-stage process for superior quality. This rigorous approach, coupled with our commitment to sustainable forestry, ensures both exceptional beauty and environmental integrity.



### Dyneal

We use premium adhesives from Finland's Dyneal. Dyneal is a leading, privately-owned chemical company specializing in high-performance adhesives and resins. With deep expertise in wood and industrial applications, they provide essential bonding solutions for manufacturing wood panels, furniture, and various industrial products. Recognized for their commitment to innovation, quality, and sustainable technologies, Dyneal serves a global customer base with reliable, advanced adhesive systems.



### Plywood

Our material portfolio features two superior plywood options, chosen for their exceptional stability, eco-friendly properties, and proven performance. We primarily use a robust eucalyptus core for its consistency and reliability. For our most demanding applications, we integrate premium Baltic Birch, renowned for its structural heritage. Both materials are guaranteed to resist warping and delamination, delivering enduring quality and environmental responsibility.



### Designed in America

All our flooring designs are conceptualized and developed in the United States by our dedicated design team, which focuses exclusively on researching and creating new products. In response to the evolving market dynamics each year, we correspondingly introduce innovative collections to meet new demands. Simultaneously, we are committed to providing exceptional service to our clients, ensuring they receive a superior sales experience.



VANDYCK

107

## Progettista Series

The art of life is to appreciate the beauty and always get creative in-spiration from it, and quality is our eternal pursuit of life, and inherit-ing this quality needs to start from every piece of high-quality floor under our feet.


199/20

*Crafted for life's aesthetics*

Multilayered  
Wood flooring



## Progettista Series



Size : 74.81" x 7.5" x 1/2", 2mm

Grade : Character





## Progettista Series

Has a silky, smooth texture, natural grain, scratch resistant, wear resistant, and stain resistant.





VANDYCK



215

Multilayered  
**Wood flooring**

Crafted for life's aesthetics

## *Lusso Series*

The art of life is to appreciate the beauty and always get creative in-spiration from it, and quality is our eternal pursuit of life, and inheriting this quality needs to start from every piece of high-quality floor under our feet.



VANDYCK

## *Lusso Series*



207  
Size :73.23" x 7.5" x 5/8", 4mm  
Grade : Character



209  
Size :73.23" x 7.5" x 5/8", 4mm  
Grade : Character



215  
Size :73.23" x 7.5" x 5/8", 4mm  
Grade : Character




216  
Size :73.23" x 7.5" x 5/8", 4mm  
Grade : Character



218  
Size :74.81" x 7.5" x 5/8", 3mm  
Grade : Premium Select



219  
Size :74.81" x 7.5" x 5/8", 3mm  
Grade : Premium Select





VANDYCK

## Lusso Series



220  
Size : 74.81" x 7.5" x 5/8", 3mm  
Grade : Premium Select



225  
Size : 74.81" x 7.5" x 5/8", 3mm  
Grade : Select




226  
Size : 74.81" x 7.5" x 5/8", 3mm  
Grade : Select



227  
Size : 74.81" x 7.5" x 5/8", 3mm  
Grade : Select



231  
Size : 73.23" x 7.5" x 5/8", 4mm  
Grade : Character



231


29/30



VANDYCK



Different  
Paving methods



31/32

Crafted for life's aesthetics



220

VANDYCK

*Lusso series*  
**Wood flooring**



219



218

323/4



226



227



*Different  
Paving methods*



225

*Crafted for life's aesthetics*

## *Lusso Series*

Has a silky, smooth texture, natural grain, scratch resistant, wear resistant, and stain resistant.



Multilayered  
**Wood flooring**

*Crafted for life's aesthetics*

---

## Villa Series


---

The art of life is to appreciate the beauty and always get creative in-spiration from it, and quality is our eternal pursuit of life, and inheriting this quality needs to start from every piece of high-quality floor under our feet.



VANDYCK

## *Villa Series*



Size : 86.61" x 8.66" x 5/8", 4mm


Grade : Character



306



## *Villa Series*



Size : 86.61" x 8.66" x 5/8", 4mm

Grade : Character





525



Multilayered  
Wood flooring

## Bella Series

Herringbone flooring offers an elegant vintage appeal, while chevron patterns bring an artistic and dynamic touch, together crafting a unique spatial style and visual harmony.



VANDYCK

## *Bella Series*



515  
Size : 25.2" x 5" x 5/8", 4mm  
Grade : Select



516  
Size : 25.2" x 5" x 5/8", 4mm  
Grade : Select




517  
Size : 25.2" x 5" x 5/8", 4mm  
Grade : Select





525  
Size : 36" x 6" x 5/8", 3mm  
Grade : Select




526  
Size : 36" x 6" x 5/8", 3mm  
Grade : Select




527  
Size : 36" x 6" x 5/8", 3mm  
Grade : Select





517

*Different  
Paving methods*



47/48

*Crafted for life's aesthetics*



*Different  
Paving methods*



*Crafted for life's aesthetics*



VANDYCK

603

Multilayered  
**Wood flooring**

## Vita Series

The art of life is to appreciate the beauty and always get creative in-spiration from it, and quality is our eternal pursuit of life, and inheriting this quality needs to start from every piece of high-quality floor under our feet.



VANDYCK

## *Vita Series*



603



604



605




606



607



608



Size : 74.81" x 7.5" x 1/2", 1.2mm


Grade : Select



604

Crafted for life aesthetics

53/4




  
VANDYCK

605

*Vita series*  
**Wood flooring**

Multi-layered oak flooring



606

55/56



*Vita series*  
**Wood flooring**

Multi-layered oak flooring

608



607

57/58



VANDYCK

805

Crafted for life's aesthetics

Multilayered  
Wood flooring

## *Stella Series*

The art of life is to appreciate the beauty and always get creative in-spiration from it, and quality is our eternal pursuit of life, and inherit-ing this quality needs to start from every piece of high-quality floor under our feet.



## *Stella Series*



803  
Size : 86.61" x 10.25" x 5/8", 4mm  
Grade : Character




804  
Size : 86.61" x 10.25" x 5/8", 4mm  
Grade : Character



805  
Size : 86.61" x 10.25" x 5/8", 4mm  
Grade : Character




807  
Size : 86.61" x 10.25" x 5/8", 4mm  
Grade : Character



808  
Size : 86.61" x 10.25" x 5/8", 4mm  
Grade : Character




809  
Size : 86.61" x 10.25" x 5/8", 4mm  
Grade : Character





VANDYCK

## *Stella Series*



815  
Size : 86.61" x 10.25" x 5/8", 4mm  
Grade : Select



816  
Size : 86.61" x 10.25" x 5/8", 4mm  
Grade : Select



817  
Size : 86.61" x 10.25" x 5/8", 4mm  
Grade : Select



820  
Size : 86.61" x 10.25" x 5/8", 3mm  
Grade : Select



831  
Size : 86.61" x 9.5"/10.25" x 5/8", 4mm  
Grade : Select



832  
Size : 86.61" x 9.5"/10.25" x 5/8", 4mm  
Grade : Select



8306  
Size : 86.61" x 10.25" x 5/8", 4mm  
Grade : Character



8307  
Size : 86.61" x 10.25" x 5/8", 4mm  
Grade : Character





VANDYCK

807

*Stella Series*  
**Wood flooring**


Multi-layered oak flooring




804

Crafts for life aesthetics

655/6



*Different  
Paving methods*




*Crafted for life's aesthetics*

## *Stella Series*



Has a silky, smooth texture, natural grain, scratch resistant, wear resistant, and stain resistant.



VANDYCK




Different  
Paving methods



Crafted for life's aesthetics


## Stella Series

Has a silky, smooth texture, natural grain, scratch resistant, wear resistant, and stain resistant.



VANDYCK

820



8306



8307



Different  
Paving methods

Crafted for life's aesthetics

## Stella Series

Has a silky, smooth texture, natural grain, scratch resistant, wear resistant, and stain resistant.



Maestro

Size : 24" x 22" x 5/8", 3mm  
Grade : Premium Select

VANDYCK

Crafted for life's aesthetics

Customized



### Custom design

We offer customized solutions designed in collaboration with you to fulfill your unique needs.



Velato

Size : 24" x 7.5" x 5/8", 3mm

Grade : Premium Select




Culla

Size : 36" x 5" x 5/8", 3mm

Grade : Premium Select



**Structuralist  
Aesthetics**





**Structuralist  
Aesthetics**



**Brezza**

Size : 24" x 7.5" x 5/8", 3mm

Grade : Premium Select

*Crafted for life's aesthetics*



VANDYCK

Crafted for life aesthetics



Size	<b>225</b> 74.81" x 7.5" x 5/8", 3mm
	<b>515</b> 25.2" x 5" x 5/8", 4mm
	<b>525</b> 36" x 6" x 5/8", 3mm
	<b>815</b> 86.61" x 10.25" x 5/8", 4mm



Size	<b>226</b> 74.81" x 7.5" x 5/8", 3mm
	<b>306</b> 86.61" x 8.66" x 5/8", 4mm
	<b>526</b> 36" x 6" x 5/8", 3mm



Size	<b>227</b> 74.81" x 7.5" x 5/8", 3mm
	<b>517</b> 25.2" x 5" x 5/8", 4mm
	<b>527</b> 36" x 6" x 5/8", 3mm

## Precise customization

Interpreting the new aesthetic realm with exquisite craftsmanship, the series of wooden flooring with the same color but different specifications is an innovative work of spatial aesthetics. Unified high-quality color scheme, meticulously crafted to ensure uniform and long-lasting color as new. Multi specification precise customization to meet the refined needs of different scenarios, endowing high-end home spaces with unique style and texture.



VANDYCK



## Stair treads



## Stair treads

Flooring products should not just be used on the ground, but should maximize their use value. Therefore, we have developed flooring products for the design and utilization of various spaces such as stairs, wall panels, and suspended ceilings.



① J-shaped splicing



② L-shaped splicing



③ Circular splicing



④ L-shaped splicing





VANDYCK



VANDYCK HAS OBTAINED MULTIPLE  
INTERNATIONAL CERTIFICATIONS



CARB II:

A CARB 2 (California Air Resources Board, Phase 2) certificate is a mandatory compliance standard for composite wood products (like particleboard, MDF, and hardwood plywood) sold in California. It certifies that these products consistently emit very low levels of formaldehyde, meeting strict air quality standards to protect human health.



FSC Certificate:

An FSC (Forest Stewardship Council) certificate is a globally recognized credential that guarantees the wood or paper products it labels come from responsibly managed forests. It verifies that the forest source meets strict environmental, social, and economic standards, ensuring sustainable harvesting, biodiversity conservation, and respect for workers' rights and local communities.



EPA:

An EPA (Environmental Protection Agency) certificate typically signifies compliance with regulations concerning low Volatile Organic Compound (VOC) emissions from finishes, adhesives, and coatings. It verifies that products meet stringent standards for indoor air quality, ensuring they are safer for consumers and the environment.



Lacey Act Compliant:

Being Lacey Act Compliant means that a company and its products adhere to the U.S. Lacey Act, a conservation law that prohibits the trade of illegally sourced plants and wood products. It requires due diligence to ensure the legal harvest of timber, promoting sustainable forestry and combating illegal logging worldwide.



NWFA:

We are a member of the NWFA(National Wood Flooring Association), a leading non-profit organization in the United States that represents the wood flooring industry. It is dedicated to inspiring, educating, and empowering professionals through technical training, industry standards, and certification programs, while also promoting the beauty and benefits of wood flooring to consumers.



VANDYCK

---

Given the natural properties of wood itself, natural color differences, texture variations, and scarring are inevitable in the process of making wooden flooring. These features are a normal reflection of the natural characteristics of wood, not a quality issue. The final presentation effect of this product shall be based on the actual delivered physical object.

---



[Browse more product information](#)